


© COPYRIGHT 2014 BY INDUSTRIAL FIBER OPTICS, INC.  
ALL RIGHTS RESERVED.


REVISIONS

REV	DESCRIPTION	ECO	DATE	DWN	APVD
-	Initial release		8/21/2009	BB	KS
A	Redrew, added notes for non-latching cables	0110	3/16/2011	BB	KS
B	Changed labels and twisted cable for clarification	0196	9/4/2014	BB	EK


USE A CROSSOVER CABLE FOR PATCHES WHERE THE TRANSMITTERS AND RECEIVERS ARE ON THE SAME SIDES OF EACH CONNECTOR.




INPUT OUTPUT




INPUT OUTPUT




USE A STRAIGHT THROUGH CABLE FOR PATCHES WHERE THE TRANSMITTERS AND RECEIVERS ARE ON OPPOSITE SIDES OF EACH CONNECTOR.



INPUT OUTPUT



OUTPUT INPUT



UNLESS OTHERWISE SPECIFIED  
DIMENSIONS MILLIMETERS [IN.]

DIMENSIONS ARE FOR REFERENCE ONLY  
NO TOLERANCES MAY BE IMPLIED FROM THIS DOCUMENT

PRODUCT	
MATERIAL	
FINISH	
DRAWN BY	B. Bidwell
DATE	3/16/2011
CHECKED BY	K. Stotz
DATE	8/26/2009


Industrial Fiber Optics  
TEMPE, AZ 85281

NAME  
**Duplex VersaLink Patchcord**

SIZE <b>A</b>	SCALE 1:2	PART NUMBER IF 1X2L	REV <b>B</b>
------------------	--------------	------------------------	-----------------

DO NOT SCALE DRAWING

Sheet 1 of 1



**METRIC**